
SMOOTH
K1
www.keyone.sa





KEY ONE
OPERATION & MAINTENANCE

Kingdom of Saudi Arabia , Riyadh

SM-01



SM-11



SM-08



SM-01+SM-02+SM-08+SM-11



SM-02



SM-09



SM-05




SM-05+SM-08+SM-09

SM-07



SM-10



SM-03





SM-02+SM-03+SM-09+SM-10



SM-11+SM-07+SM-10



KEY ONE
OPERATION & MAINTENANCE

Kingdom of Saudi Arabia , Riyadh

COLORS :



SM-01



SM-02



SM-07



SM-11



SM-09



SM-10



SM-08



SM-05



SM-03



Free splicing



Noise reduction



Replace at will



Anti-skid and wear-resistant



Easy to install



Comfortable and soft



Custom design



Environmentally Fiendly material

KEY ONE
OPERATION & MAINTENANCE

SPECIFICATIONS:

Type:	Level Loop
Fiber:	100% Solution Dyed PP
Backing Material:	PVC reinforced glassfiber
Gauge:	1/10''
Pile Height:	3mm±0.5mm
Pile Weight:	420±20g/㎡
Tile Size:	50cm×50cm
Tile Weight:	3.6kg/㎡ ±5%（PVC Backing）
Total Thickness:	6±1mm
Packaging:	5sqm/20Tiles per Box

INSTALLATION METHODS:

