كي وان
KEY ONE

SPC FLOORING

THE COLLECTION

Wood-inspired finishes for considered interiors.

09 FINISHES / CLICK INSTALLATION

KEYONE.SA



KR2009

LIFESTYLE VISUALISATION

كي وان
KEY ONE

NATURAL CHARACTER.
BUILT FOR MODERN LIFE.

A carefully curated SPC flooring range that brings wood-inspired surface design to residential and contemporary interior spaces.

5.0 mm — TOTAL THICKNESS

0.3 mm — WEAR LAYER

IXPE — 1 mm INTEGRATED BACKING



LIGHT & COOL FINISHES

Considered neutrals with refined wood-grain movement.



2001

KLG2001

SPC / WOOD-INSPIRED FINISH



2002

KG2002

SPC / WOOD-INSPIRED FINISH



2003

KLC2003

SPC / WOOD-INSPIRED FINISH

WARM & NATURAL FINISHES

Warm tones with the character of natural oak.



2004

KC2004

SPC / WOOD-INSPIRED FINISH



2005

KLB2005

SPC / WOOD-INSPIRED FINISH



2006

KB2006

SPC / WOOD-INSPIRED FINISH

DEEP & EXPRESSIVE FINISHES

Expressive grain textures for distinctive interiors.



2007

KLG2007

SPC / WOOD-INSPIRED FINISH



2008

KB2008

SPC / WOOD-INSPIRED FINISH



2009

KR2009

SPC / WOOD-INSPIRED FINISH

SPACES WITH QUIET CONFIDENCE

Discover how pale and neutral tones set a distinctive foundation.



KLG2001

PALE / LIGHT



KG2002



KLC2003

INTERIOR APPLICATIONS

Visualisations are reproduced from the supplied product catalogue.

FLOORS THAT DEFINE THE SPACE

From natural oak to richer statement finishes.







LIFESTYLE APPLICATIONS

Product visualisations from the original collection materials.

PRODUCT INFORMATION

TECHNICAL DATA SHEET

SPC flooring / stated product configuration from the source catalogue.

Product category	**SPC Flooring**
Overall thickness	**5 mm**
Wear layer	**0.3 mm**
Plank size	**1220 x 230 x 5 mm**
Composition stated	**4 mm flooring + 1 mm IXPE backing**
Package	**10 planks / carton**
Coverage	**2.806 m² / carton**
Embossing	**BP surface**
Joint / installation	**Click installation system**

PRODUCT PROFILE

5 mm

OVERALL THICKNESS

4 mm + 1 mm IXPE

SOURCE NOTES

Specifications reproduced from the supplied catalogue. Performance certification, fire rating, warranty and test reports are not stated in the provided source.

PACK COVERAGE

2.806 m² per carton

FLOORING ACCESSORIES

Coordinated accessory types shown in the original SPC catalogue.



SKIRTING

LENGTH 2400 mm
WIDTH 80 mm
HEIGHT 12 mm

PROFILE IMAGE: SCHEMATIC ONLY



QUARTER ROUND

LENGTH 2400 mm
WIDTH 28 mm
HEIGHT 15 mm

PROFILE IMAGE: SCHEMATIC ONLY



T-MOLDING

LENGTH 2400 mm
WIDTH 45 mm
HEIGHT 6 mm

PROFILE IMAGE: SCHEMATIC ONLY



REDUCER

LENGTH 2400 mm
WIDTH 45 mm
HEIGHT 8 mm

PROFILE IMAGE: SCHEMATIC ONLY



STAIRNOSE

LENGTH 2400 mm
WIDTH 55 mm
HEIGHT 18 mm

PROFILE IMAGE: SCHEMATIC ONLY

كي وان
KEY ONE

MAKE ROOM FOR MORE.

Nine wood-inspired finishes. One cohesive collection for design-led spaces.

EXPLORE THE COLLECTION

WWW.KEYONE.SA

SALES@KEYONE.SA

KEY ONE / SUPPLIER & DISTRIBUTOR OF FLOORING & INTERIOR SOLUTIONS

